L Number	Hits		DB	Time stamp
1	19		USPAT;	2004/08/03 19:33
		and @ad<19991111 and (anonymous adj	US-PGPUB;	
		(connection\$1! or communication\$1! or	EPO; JPO;	
		proxy))	DERWENT;	
		113 / 123 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	IBM_TDB	0001/05/00 01 00
_	29	web adj page with (call adj me adj button)	USPAT;	2004/07/29 11:06
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	17	(web adj page with (call adj me adj button))	USPAT;	2004/07/28 14:11
	† *	and @ad<19991111	US-PGPUB;	2001, 01, 20 11112
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4052888		USPAT;	2004/07/28 14:18
		operator) adj2 ((number or id or	US-PGPUB;	1
		identification) adj3 (ip adj address) or	EPO; JPO;	
		(phone))	DERWENT;	İ
			IBM_TDB	<i>,</i> ,
-	75	3 =	USPAT;	2004/07/28 14:18
		operator) adj2 ((number or id or	US-PGPUB;	
		identification) adj3 (ip adj address) or	EPO; JPO;	
		(phone))	DERWENT;	
_	25	(generat\$3 adj4 (customer or user or	<pre>IBM_TDB USPAT;</pre>	2004/07/28 14:35
-	25	operator) adj2 ((number or id or	US-PGPUB;	2004/07/20 14:35
		identification) adj3 (ip adj address) or	EPO; JPO;	
		(phone))) and @ad<19991111	DERWENT;	
		(phono, , , and odd 25552222	IBM TDB	
_	0	(relay\$3 or proxy or router or intermediate)	USPAT;	2004/07/28 14:39
		with (convert\$3 or chang\$3) with (ip adj	US-PGPUB;	1
		address\$2!) with (customer or client) adj2	EPO; JPO;	
		(number or id or identificaiton) and	DERWENT;	
		@ad<19991111	IBM_TDB	
-	0	(====//+= == F===// == =======;	USPAT;	2004/07/28 14:39
		same (convert\$3 or chang\$3) with (ip adj	US-PGPUB;	
		address\$2!) with (customer or client) adj2 (number or id or identification) and	EPO; JPO;	
		@ad<19991111	DERWENT; IBM TDB	
_	,	(convert\$3 or chang\$3) with (ip adj	USPAT;	2004/07/28 14:52
	_	address\$2!) with (customer or client) adj2	US-PGPUB;	
		(number or id or identification) and	EPO; JPO;	İ
		@ad<19991111	DERWENT;	
			IBM_TDB	
-	0	(worm, 40 mm)	USPAT;	2004/07/28 14:53
		product and @ad<19991111	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	0	(relayed add corver) came remosted with	IBM_TDB USPAT;	2004/07/28 14:54
_		(relay\$3 adj server) same request\$3 with product and @ad<19991111	US-PGPUB;	2004/0//20 14:54
		product and wadersystiff	EPO; JPO;	
	:		DERWENT;	
			IBM TDB	
-	188	enabl\$3 adj3 identify\$3 adj4 (client or	USPAT;	2004/07/28 14:55
	·	user)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	188	"not"adj3 enabl\$3 adj3 identify\$3 adj4	USPAT;	2004/07/28 14:55
		(client or user)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
			· —	2004/07/20 15-00
_	50	"not"adil enab Si adil identitusi adi4	LUSPALI	
-	59	<pre>"not"adj3 enabl\$3 adj3 identify\$3 adj4 (client or user) and @ad<19991111</pre>	USPAT; US-PGPUB;	2004/07/28 15:09
-	59	"not"adj3 enabi\$3 adj3 identify\$3 adj4 (client or user) and @ad<19991111	US-PGPUB;	2004/07/28 15:09
-	59			2004/07/28 15:09

-	0	("not"adj3 enabl\$3 adj3 identify\$3 adj4	USPAT;	2004/07/28 14:56
		(client or user) and @ad<19991111) and (call	US-PGPUB;	
		adj me)	EPO; JPO;	
}			DERWENT;	
			IBM_TDB	
-	0	(call adj me) same (relay\$3 adj server)	USPAT;	2004/07/28 14:56
			US-PGPUB;	ļ
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	2	(call adj me) and (relay\$3 adj server)	USPAT;	2004/07/28 15:01
İ			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	4006	/ 7 40 11	IBM_TDB	5004/05/00 45 04
-	1036	(relay\$3 adj server)	USPAT;	2004/07/28 15:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		/	IBM_TDB	2004/07/20 15 61
-	0	,	USPAT;	2004/07/28 15:01
		(client or user) and @ad<19991111) and (US-PGPUB;	
		(relay\$3 adj server))	EPO; JPO;	
			DERWENT;	
		not adia anahita adia idantifika adia	IBM_TDB	2004/07/28 15:10
-	١	"not" adj3 enabl\$3 adj3 identify\$3 adj4	USPAT;	2004/07/28 15:10
		(client or user) and @ad<19991111	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
	,	(customer adj number) near5 ((Ip adj	IBM_TDB	2004/07/28 15:10
-	·		USPAT;	2004/07/28 15:19
		address) or (phone adj number)) and	US-PGPUB;	
		@ad<19991111	EPO; JPO;	
			DERWENT; IBM TDB	
_	,	(customer adj number) with establish\$3 adj4	USPAT;	2004/07/28 15:41
-	2	(connection or communication) and	US-PGPUB;	2004/07/28 15:41
		@ad<19991111	EPO; JPO;	
		944(1)))1111	DERWENT;	
			IBM TDB	
_	0	"not" adj3 identify\$3 adj4 (user or sender	USPAT;	2004/07/28 15:42
		or client) and @ad<19991111	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	"not" adj3 identif\$4 adj4 (user or sender or	USPAT;	2004/07/28 15:42
		client) and @ad<19991111	US-PGPUB;	• •
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	41		USPAT;	2004/07/28 15:43
		sender or client) and @ad<19991111	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	anonym\$5 adj communication with (proxy or	USPAT;	2004/07/29 11:24
		gateway)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	2004/05/55
-	5	anonym\$5 adj communication same (proxy or	USPAT;	2004/07/29 12:26
		gateway)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(onon-mcE on olios) odiE commissiones	IBM_TDB	2004/07/20 10 22
-	2	<pre>(anonym\$5 or alias) adj5 communication\$1! with between with client with server</pre>	USPAT;	2004/07/29 12:32
		with between with citett with server	US-PGPUB;	
			EPO; JPO; DERWENT;	
İ	İ		IBM TDB	
			TDIT_TUD	

			T	1 / /
-	723	(anonym\$5 or alias) adj5 communication\$1!	USPAT; US-PGPUB; EPO; JPO;	2004/07/29 12:32
			DERWENT; IBM TDB	
-	280	((anonym\$5 or alias) adj5 communication\$1!) and @ad<19991111	USPAT; US-PGPUB;	2004/07/29 14:58
			EPO; JPO; DERWENT;	
-	14	1 * * * * * * * * * * * * * * * * * * *	IBM_TDB USPAT;	2004/07/29 16:35
		proxy) and @ad<19991111	US-PGPUB; EPO; JPO;	
		40 110 11 110 1110	DERWENT; IBM_TDB	2004/07/20 15 20
-	0	anonymous\$2 adj3 to adj2 client.	USPAT; US-PGPUB;	2004/07/29 16:29
			EPO; JPO; DERWENT; IBM TDB	
-	0	anonymous\$2 adj3 to adj2 client	USPAT; US-PGPUB;	2004/07/29 16:30
			EPO; JPO; DERWENT;	
-	41	anonymous\$2 with identity with client	IBM_TDB USPAT;	2004/07/29 16:30
-			US-PGPUB; EPO; JPO;	
	5	(anonymous\$2 with identity with client) and	DERWENT; IBM_TDB USPAT;	2004/07/29 16:30
	3	@ad<19991111	US-PGPUB; EPO; JPO;	2004/07/29 18:30
			DERWENT; IBM TDB	
_	15	((anonym\$5) same server with client with proxy) and @ad<19991111	USPAT; US-PGPUB;	2004/07/29 16:36
			EPO; JPO; DERWENT;	
-	2	("5961593").PN.	IBM_TDB USPAT; US-PGPUB;	2004/08/02 18:36
			EPO; JPO; DERWENT;	
_	0	 proxy adj5 communicat\$3 adj4 client adj4	IBM_TDB USPAT;	2004/07/30 14:29
		phone	US-PGPUB; EPO; JPO;	
	_		DERWENT; IBM_TDB	2001/02/20 11 20
-	0	proxy adj5 communicat\$3 adj4 client with phone	USPAT; US-PGPUB; EPO; JPO;	2004/07/30 14:29
	i		DERWENT; IBM_TDB	
-	0	proxy adj5 communicat\$3 adj4 (user or browser or client) with phone	USPAT; US-PGPUB;	2004/07/30 14:29
			EPO; JPO; DERWENT;	
-	23	proxy with communicat\$3 with (user or	IBM_TDB USPAT; US-PGPUB;	2004/07/30 14:30
		browser or client) with phone	EPO; JPO; DERWENT;	
_	5	(proxy with communicat\$3 with (user or	IBM_TDB USPAT;	2004/07/30 14:30
		browser or client) with phone) and @ad<19991111	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	

	49	client with server with proxy with phone	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/30 15:48
			IBM TDB	
-	10	client with server with proxy with phone and @ad<19991111	USPAT; US-PGPUB; EPO; JPO;	2004/07/30 15:54
-	16	l	DERWENT; IBM_TDB USPAT;	2004/07/30 18:06
		and @ad<19991111	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	0	communication adj4 server adj5 proxy adj4 (phone or telephone)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/30 16:32
-	17	server adj5 proxy adj4 (phone or telephone)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/30 16:33
-	5	server adj5 proxy adj4 (phone or telephone) and @ad<19991111	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/30 16:33
-	5	voice adj circuitry with proxy	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/30 18:07
-	5	telephone adj mode with proxy	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/30 18:20
-	6447	telephone with (gateway or proxy or (intermediate adj server))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/30 18:21
-	114	telephone with (gateway or proxy or (intermediate adj server)) with client and @ad<19991111	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/30 18:22
-	33	telephone with (gateway or proxy or (intermediate adj server)) with client with voice and @ad<19991111	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/30 18:22
-	0	proxy with statistics with request with frequent\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/02 18:37
_	o	proxy same statistics with request with frequent\$3	IBM_TDB USPAT; US-PGPUB;	2004/08/02 18:37
_	83	proxy with (request or access\$3) near4	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/08/02 18:38
		frequent\$3	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

-	34	(proxy with (request or access\$3) near4 frequent\$3) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO;	2004/08/02 18:44
			DERWENT; IBM TDB	
-	6	(proxy with (request or access\$3) near4 frequent\$3) and @ad<19991111 and anonym\$5	USPAT; US-PGPUB;	2004/08/02 19:07
			EPO; JPO; DERWENT;	
-	0	proxy same (statistic\$2 adj process\$3 with analyz\$3 with request)	IBM_TDB USPAT; US-PGPUB;	2004/08/02 19:08
		analyzyo with roquest,	EPO; JPO; DERWENT;	
_	3	proxy same (statistic\$4 with analyz\$3 with request)	IBM_TDB USPAT; US-PGPUB;	2004/08/02 19:08
		request,	EPO; JPO; DERWENT;	
-	3	P2	IBM_TDB USPAT;	2004/08/02 19:09
		request)	US-PGPUB; EPO; JPO; DERWENT;	
_	22	proxy and (statistic\$2 with analyz\$3 with	IBM_TDB USPAT;	2004/08/02 19:09
		request)	US-PGPUB; EPO; JPO; DERWENT;	
_	304	(query or request) near3 access\$3 adj time	IBM_TDB USPAT;	2004/08/02 19:39
			US-PGPUB; EPO; JPO;	
_	0	(query or request) near3 access\$3 adj time	DERWENT; IBM_TDB USPAT;	2004/08/02 19:39
		same (proxy or (relay adj server)) and @ad<19991111	US-PGPUB; EPO; JPO;	
_	1	(query or request) near3 access\$3 adj time	DERWENT; IBM_TDB USPAT;	2004/08/02 19:55
		and (proxy or (relay adj server)) and @ad<19991111	US-PGPUB; EPO; JPO;	
_		anonym45 same stor\$3 with (alias or	DERWENT; IBM_TDB USPAT;	2004/08/02 19:56
		substitute) and time near4 (access\$3 or request\$3 or inquiry)	US-PGPUB; EPO; JPO;	2001, 00, 02 13:30
		anonym45 and stor\$3 with (alias or	DERWENT; IBM_TDB USPAT;	2004/08/02 19:57
-		substitute) and time near4 (access\$3 or request\$3 or inquiry)	US-PGPUB; EPO; JPO;	2004/08/02 19:5/
			DERWENT; IBM_TDB	2004/00/02 10 55
-	0	anonym45 same (alias or substitute) and time near4 (access\$3 or request\$3 or inquiry)	USPAT; US-PGPUB; EPO; JPO;	2004/08/02 19:57
			DERWENT; IBM_TDB	0004/00/00
-	807	stor\$3 with (alias or substitute) and time near4 (access\$3 or request\$3 or inquiry) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO;	2004/08/02 19:58
			DERWENT; IBM_TDB	
-	9	stor\$3 with (alias or substitute) and time near4 (access\$3 or request\$3 or inquiry) same (proxy or relay) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO;	2004/08/02 20:04
			DERWENT; IBM_TDB	

-	0	analyz\$3 adj4 generat43 adj4 request	USPAT;	2004/08/02 20:05
1			US-PGPUB;	
	į		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	87	analyz\$3 adj4 generat\$3 adj4 request	USPAT;	2004/08/02 20:05
			US-PGPUB;	
			EPO; JPO;	ł
			DERWENT;	
	,	analyst adia conoratta adia reguest same	IBM_TDB USPAT;	2004/08/02 20:07
-	1	analyz\$3 adj4 generat\$3 adj4 request same proxy	US-PGPUB;	2004/08/02 20:07
		proxy	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	6	analyz\$3 adj4 generat\$3 adj4 request and	USPAT;	2004/08/02 20:07
		proxy	US-PGPUB;	=====
		F2	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	stor\$3 adj4 inquir\$3 adj information with	USPAT;	2004/08/03 09:46
		frequency	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	stor\$3 adj4 inquir\$3 adj information same	USPAT;	2004/08/03 09:49
		frequency	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	61	 stor\$3 adj4 inquir\$3 adj information	IBM_TDB USPAT;	2004/08/03 09:49
-	61	Storps adj4 inquir\$3 adj information	US-PGPUB;	2004/08/03 09:49
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	25	(stor\$3 adj4 inquir\$3 adj information) and	USPAT;	2004/08/03 11:01
		@ad<19991111	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0		USPAT;	2004/08/03 11:03
		or multiple or distinct) adj user\$1! and	US-PGPUB;	
		@ad<19991111	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004/00/00 00 00
-	0	stor\$3 adj4 (inquir\$3 or request) adj4 (each	USPAT;	2004/08/03 11:03
		or different or multiple or distinct) adj user\$1! and @ad<19991111	US-PGPUB; EPO; JPO;	
		naciài: qua @qa <i>333;iii</i>	DERWENT;	
			IBM TDB	
_	7	 stor\$3 adj4 (inquir\$3 or request) adj4 (each	USPAT;	2004/08/03 11:03
	,	or different or multiple or distinct) adj3	US-PGPUB;	2004/00/03 11:03
İ		(user\$1! or client\$1! or requestor\$1!) and	EPO; JPO;	
		@ad<19991111	DERWENT;	
			IBM TDB	